

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| | | "978966"".\$did. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 12:07 |
| | | S24 and "709.cIAS." | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 09:26 |
| L6 | 110 | compar\$4 near3 (forward\$3 or send\$3) near3 (IP near2 address) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/02 12:27 |
| L7 | 61 | I6 and (@ad<"20020807" or @rlad<"20020807") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/02 12:27 |
| L8 | 35 | I7 and "709"/\$.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/02 12:27 |
| L9 | 4 | I7 and "709"/238.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/02 12:27 |
| L10 | 0 | I7 and "709"/239.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/02 12:27 |
| L11 | 1 | I7 and "709"/218.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/02 12:27 |
| L12 | 3 | I7 and "709"/223.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/02 12:28 |

| | | | | | | |
|-----|-------|--|---|-----|----|---------------------|
| L13 | 4 | I7 and "709"/224.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/02 12:28 |
| L14 | 3 | I7 and "709"/226.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/02 12:28 |
| L15 | 6 | I7 and "709"/227.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/02 12:28 |
| L16 | 1 | I7 and compress\$4 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/02 12:28 |
| L17 | 0 | "20030326191" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/02 12:29 |
| L18 | 0 | "200300326191" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/02 12:29 |
| L19 | 4 | "2002093465" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/02 12:30 |
| S1 | 6148 | rout\$ near (data adj packet) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/20 09:46 |
| S2 | 35294 | extract\$ and compres\$ and compar\$ and rout\$ and adjust \$ | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 13:31 |
| S3 | 13083 | data and packet and address and destination and identifier and algorithm | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/20 10:02 |
| S4 | 1790 | S2 and S3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/20 09:42 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| S5 | 87 | S1 and S4 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/20 09:42 |
| S6 | 1085 | rout\$ near (data adj packet). ab. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/20 09:46 |
| S7 | 85 | rout\$ near (data adj packet). ab. and "709".clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 13:38 |
| S8 | 2 | "5842224".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 09:09 |
| S9 | 853 | extract\$ and compres\$ and compar\$ and rout\$ and adjust \$ and "709".clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/20 10:02 |
| S10 | 2977 | data and packet and address and destination and identifier and algorithm and "709".clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/20 10:02 |
| S11 | 0 | S6 and S9 and S10 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/20 10:03 |
| S12 | 320 | S9 and S10 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/20 10:03 |
| S13 | 0 | S6 and S12 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/20 10:03 |
| S14 | 0 | S7 and S12 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/20 10:04 |
| S15 | 24 | S1 and S12 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 09:25 |

| | | | | | | |
|-----|-------|-------------------------|---|-----|----|---------------------|
| S16 | 0 | S5 and S7 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/20 10:21 |
| S17 | 1 | "0978966".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 09:10 |
| S18 | 0 | "0978966".".\$did. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 12:07 |
| S19 | 0 | ep-0978966-\$did.pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 09:11 |
| S20 | 0 | ep-0978966-\$did. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 09:12 |
| S21 | 0 | ep-0978966-\$did. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 09:14 |
| S22 | 2 | ep-978966-\$did. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 09:14 |
| S23 | 17981 | Data adj compress\$.ab. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 12:11 |
| S24 | 2572 | Data adj rout\$.ab. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 09:26 |
| S25 | 16 | S23 and S24 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 09:26 |
| S26 | 135 | S23 and "709".clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 09:26 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| S27 | 7 | (Data adj compression) near (rout\$ adj data).ab. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 13:30 |
| S28 | 0 | (Data adj compression) near (rout\$ adj data).ti. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 13:30 |
| S29 | 6114 | (Data adj compression).ti. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 13:30 |
| S30 | 115 | extract\$ and compress\$ and compar\$ and rout\$ and adjust \$.ti. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 13:31 |
| S31 | 6151 | rout\$ near (data adj packet) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 13:32 |
| S32 | 5 | S29 and S31 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 13:32 |
| S33 | 85 | rout\$ near (data adj packet).ab. and "709".clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 13:38 |
| S34 | 10 | S33 and compress\$ | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 13:45 |
| S35 | 2 | "5920566".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 13:46 |
| S36 | 2 | "6278709".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 15:06 |
| S37 | 0 | wo-02076042-\$did.pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 13:49 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| S38 | 0 | wo-02076042-\$.did. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 13:49 |
| S39 | 0 | wo-02076042-\$.did | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 13:49 |
| S40 | 1 | wo-2076042-\$.did. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/07/23 13:49 |
| S41 | 2 | "5842224".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/08/02 14:01 |
| S42 | 3 | "6094431".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/08/02 14:28 |
| S43 | 2 | "6026198".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/08/02 14:28 |
| S44 | 2 | "5842224".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/24 11:41 |
| S45 | 4 | (compar\$3 near3 (compress \$3 adj rout\$3)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/24 15:21 |
| S46 | 4 | (compar\$3 near3 (compress \$3 and table and rout\$3)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/24 16:53 |
| S47 | 6831 | compress\$3 and compar\$3 and rout\$3 and table and data and packet and address and destination | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/24 16:55 |
| S48 | 4212 | S47 and switch\$3 and identif \$4 and match | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/24 16:57 |

| | | | | | | |
|-----|------|---|---|-----|----|---------------------|
| S49 | 1657 | S47 and switch\$3 and identif \$4 and match and symbol and forward\$3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/24 16:58 |
| S50 | 16 | S49 and 709/238.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/24 16:58 |
| S51 | 1 | S49 and 709/239.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/24 16:58 |
| S52 | 6 | S49 and 709/218.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/24 16:58 |
| S53 | 6 | S49 and 711/202.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/24 16:58 |
| S54 | 2 | "5842224".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/04/23 17:44 |
| S55 | 2 | "6499054".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 10:53 |
| S56 | 8667 | IPv6 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 11:27 |
| S57 | 1031 | S56 and (rout\$ near3 (data adj packet)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 11:36 |
| S58 | 798 | S57 and (destination near3 address) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 11:37 |
| S59 | 9 | S57 and (compress\$3 near3 destination near3 address) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 11:37 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S60 | 0 | S59 and (@ad<"20020807" or @rlad<"20020807") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 11:38 |
| S62 | 341 | S58 and (@ad<"20020807" or @rlad<"20020807") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 11:39 |
| S63 | 10 | S62 and (compar\$3 near3 rout \$3 near3 table) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 11:40 |
| S64 | 2 | S63 and compress\$3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 12:29 |
| S65 | 0 | S62 and (compress\$3 near3 destination near3 address) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 12:30 |
| S66 | 0 | S62 and (compress\$3 near3 address near3 identifier) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 12:31 |
| S67 | 3 | S62 and (compress\$3 near3 address) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 12:31 |
| S68 | 5 | (compress\$3 near3 destination near3 address near3 identifier) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 12:36 |
| S69 | 1 | S68 and (@ad<"20020807" or @rlad<"20020807") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 12:36 |
| S70 | 0 | (compress\$3 near3 destination near3 packet) same (compar\$3 near3 table) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 12:41 |
| S71 | 4 | (compress\$3 near3 destination near3 packet) and (compar\$3 near3 table) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 12:41 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S72 | 4 | S71 and (@ad<"20020807" or @rlad<"20020807") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 12:41 |
| S73 | 755 | (compress\$3 near3 packet) and (packet near3 destination) and compar\$3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 12:50 |
| S74 | 516 | S73 and (@ad<"20020807" or @rlad<"20020807") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 12:50 |
| S75 | 120 | S74 and "709"/\$.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 12:50 |
| S76 | 8 | S74 and "709"/245.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 12:51 |
| S77 | 3 | ((compress\$3 near3 packet) and (packet near3 destination) and compar\$3). ab. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 14:10 |
| S78 | 3 | S77 and (@ad<"20020807" or @rlad<"20020807") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 14:11 |
| S79 | 170 | (compress\$3 near3 destination near3 address) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 14:37 |
| S80 | 131 | S79 and (table or database or map\$3) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 14:37 |
| S81 | 44 | S79 and (rout\$3 near5 (table or database or map\$3)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 14:38 |
| S82 | 32 | S81 and (@ad<"20020807" or @rlad<"20020807") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 14:38 |

| | | | | | | |
|-----|--------|---|---|-----|----|---------------------|
| S83 | 13 | S79 same (rout\$3 near5 (table or database or map \$3)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 14:38 |
| S84 | 7 | S83 and (@ad< "20020807" or @rlad< "20020807") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 14:39 |
| S85 | 23 | (compress\$3 near3 forward\$3 near3 address) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 16:03 |
| S86 | 10 | S85 and (@ad< "20020807" or @rlad< "20020807") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/29 16:03 |
| S87 | 15 | adjust\$3 near3 parameter near3 compress\$3 near3 algorithm | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/30 17:26 |
| S88 | 150593 | "l1" and (@ad< "20020807" or @rlad< "20020807") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/30 17:27 |
| S90 | 5 | S87 and (@ad< "20020807" or @rlad< "20020807") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/30 17:27 |
| S91 | 2 | "6026198".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 10:58 |
| S92 | 0 | jagnnathan.in. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 11:24 |
| S93 | 628 | jagannathan.in. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 11:24 |
| S94 | 2914 | nie.in. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 11:24 |

| | | | | | | |
|------|------|---|---|-----|----|---------------------|
| S95 | 68 | lin.in. and (jinan) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 11:25 |
| S96 | 3587 | S93 or S94 or S95 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 11:25 |
| S97 | 5 | S93 and S94 and S95 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 11:25 |
| S98 | 321 | S96 and compress\$3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 11:26 |
| S99 | 40 | S98 and algorithm | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 11:26 |
| S100 | 19 | S99 and (@ad<"20020807" or @rlad<"20020807") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/31 11:27 |

3/ 2/ 2009 12:30:48 PM

C:\ Documents and Settings\ staha\ My Documents\ EAST\ Workspaces\ 10524311.wsp